

Web Images Video News Maps Gmail more ▾

Sign in

Google

intrusion detection and server installing agent

Search

Advanced Search  
Preferences

The "AND" operator is unnecessary -- we include all search terms by default. Details

Web Results 1 - 10 of about 494 for **intrusion detection and server installing agent**. (0.11 seconds)

[PDF] **Multi-Sensor Agent-Based Intrusion Detection System**

File Format: PDF/Adobe Acrobat

case of **intrusion detection**, **agents** can serve as detectives or .... instructions on **installing** the **server** components on a Red Hat ...

portal.acm.org/ft\_gateway.cfm?id=1107645&

type=pdf&coll=&dl=&CFID=15151515&CFTOKEN=6184618

[PDF] **BlueBoX: A Policy-Driven, Host-Based Intrusion Detection System**

File Format: PDF/Adobe Acrobat

Thus, increasingly, **intrusion detection** must move to the host **server** where the ..... and the code to parse, allocate memory for and **install** rules are in a ...

portal.acm.org/citation.cfm?doid=762476.762477

[ More results from portal.acm.org ]

[PDF] **Agent based intrusion detection and response system for wireless ...**

File Format: PDF/Adobe Acrobat

gaining physical access to the wired network and **installing** a. rogue access point. ...

secured **agent-based intrusion detection** system that detects ...

ieeexplore.ieee.org/iel5/8564/27113/01204225.pdf

[PDF] **Fuzzy intrusion detection - IFSA World Congress and 20th NAFIPS ...**

File Format: PDF/Adobe Acrobat

**server** existed on the network. However, when the. fuzzy C-means algorithm alone was used to quantify ... **Intrusion Detection** using Autonomous **Agents**," ...

ieeexplore.ieee.org/iel5/7506/20427/00943772.pdf?arnumber=943772

[ More results from ieeexplore.ieee.org ]

[PDF] **An Intrusion Detection System for Aglets**

File Format: PDF/Adobe Acrobat

the Aglets mobile **agent** system and an **intrusion detection** system that ..... Sun

Microsystems, Inc. **Installing**, Administering, and Using the Basic Security ...

www.springerlink.com/index/v722pne9b1mb5gp3.pdf

[PDF] **A Distributed Dynamic  $\mu$  Firewall Architecture with Mobile Agents ...**

File Format: PDF/Adobe Acrobat

**Intrusion Detection Agent** screens all network packets and local ... nection, **install** filtering rules, disable the user account) based on the attack type, ...

www.springerlink.com/index/nxctm1k2fa5hpctx.pdf

[ More results from www.springerlink.com ]

[PDF] **All-IP Wireless Networking**

File Format: PDF/Adobe Acrobat

(application layer) IPv6 support from the network, **installing** a HA router in .... **Intrusion**

**detection** is of obvious importance in such situations, first to ...

doi.wiley.com/10.1002/0470024569.ch5

[PDF] **"Network Security Fundamentals". In: Wiley Encyclopedia of ...**

File Format: PDF/Adobe Acrobat

**intrusion detection** system, or IDS. After detecting improper activity, .... may **install** a back

door or allow others to abuse the system. ...  
doi.wiley.com/10.1002/047134608X.W5324  
[ [More results from doi.wiley.com](#) ]

[PDF] [Warkitting: The Drive-by Subversion of Wireless Home Routers](#)

File Format: PDF/Adobe Acrobat

The ability to **install** arbitrary control software on a wireless router opens unlimited ..... aly-  
based **intrusion detection** that compares traffic on both ...  
[taylorandfrancis.metapress.com/index/HJP4817027772611.pdf](http://taylorandfrancis.metapress.com/index/HJP4817027772611.pdf)

[PDF] [Bio-Almanac](#)

File Format: PDF/Adobe Acrobat

4.0, Acrobat Distiller **Server** enables consistent and re- ..... **Agent** for Linux delivers  
centrally managed **intrusion- detection** technology to servers, ...  
[www.liebertonline.com/doi/pdf/10.1089/152791600750034802](http://www.liebertonline.com/doi/pdf/10.1089/152791600750034802)

1 2 [Next](#)

Download [Google Pack](#): free essential software for your PC

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Try your query on the entire web](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Find: 

Searching for **intrusion detection and server install agent**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)  
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

**No documents match Boolean query. Trying non-Boolean relevance query.**

500 documents found. **Order: relevance to query.**

[Implementing the SMS server, or why I switched from Tcl to Python - Stajano \(1998\)](#) (Correct) (29 citations)

Implementing the SMS **server**, or why I switched from Tcl to Python Frank  
 with it 8 Oh wait-this may mean getting and **installing** a C compiler for this system. Will the GNU  
<ftp.uk.research.att.com/pub/docs/att/tr.1998.9.ps.Z>

[On-line New Event Detection and Tracking - Allan, Papka, Lavrenko \(1998\)](#) (Correct) (29 citations)

On-line New Event **Detection** and Tracking James Allan, Ron Papka, and Victor  
[hobart.cs.umass.edu/~allan/Papers/sigir98.ps](http://hobart.cs.umass.edu/~allan/Papers/sigir98.ps)

[Intelligent, Adaptive File System Policy Selection - Tara Madhyastha \(1996\)](#) (Correct) (4 citations)

to access patterns [6, 10, 14]For example, on **detection** of random input/output access patterns, an  
 via the interaction of four basic components: I/O **servers**, metadata **servers**, global caching **agents**, and  
 I/O **servers**, metadata **servers**, global caching **agents**, and application clients. On a workstation  
[www.cs.cmu.edu/~tara/hdftpaper.ps.Z](http://www.cs.cmu.edu/~tara/hdftpaper.ps.Z)

[Packets Found on an Internet - Bellovin \(1992\)](#) (Correct) (7 citations)

of the gateways, we monitor them for attempted **intrusions**[Che92]Recently, we have also started looking  
 a Plan 9 machine, and its design philosophy made **detection** quite easy. On a number of occasions, we have  
 three occasions, we have received broadcast name **server** packets from other companies more recently, we  
[www.raptor.com/lib/.packets.ps](http://www.raptor.com/lib/.packets.ps)

[Integration of Reactive and Telerobotic Control in Multi-agent.. - Arkin, Ali \(1994\)](#) (Correct) (20 citations)

of Reactive and Telerobotic Control in Multi-**agent** Robotic Systems Ronald C. Arkin and Khaled S.  
[kali@cc.gatech.edu](mailto:kali@cc.gatech.edu) Abstract Multi-**agent** schema-based reactive robotic systems are  
 rather than forcing the operator to control each **agent** individually. The operator is viewed by the  
[www.cc.gatech.edu/grads/a/Khaled.S.Ali/sab94.ps.Z](http://www.cc.gatech.edu/grads/a/Khaled.S.Ali/sab94.ps.Z)

[A Framework For Mixed Initiative Agent-Based Contracting - Collins, Tsvetovat.. \(1999\)](#) (Correct)

Internet AuctionBot: A configurable auction **server** for human and software **agents**. In Second Int'l  
 A Framework For Mixed Initiative **Agent**-Based Contracting John Collins, Maksim  
 University Abstract We describe an approach to **agent**-based contracting that combines the advantages of  
[maya.cs.depaul.edu/~mobasher/papers/magnet-iac99.ps](http://maya.cs.depaul.edu/~mobasher/papers/magnet-iac99.ps)

[Uniprocessor Garbage Collection Techniques - Wilson \(1992\)](#) (Correct) (252 citations)

objects from the garbage in some way, or garbage **detection**, and 2. Reclaiming the garbage objects'  
 if the code is incorporated into a long-running **server** program, the **server** will eventually exhaust its  
 is transported to tospace, a forwarding pointer is **installed** in the old version of the object. The  
[inge-ns.ing.uniroma1.it/~nardi/LT9899/dispense/gcsurvey.ps](http://inge-ns.ing.uniroma1.it/~nardi/LT9899/dispense/gcsurvey.ps)

[Real-Time Active Visual Surveillance by Integrating.. - Batista, Peixoto.. \(1998\)](#) (Correct) (5 citations)

all the environment. Therefore any potential **intrusion** is more easily detected since no scanning is  
 Surveillance by Integrating Peripheral Motion **Detection** with Foveated Tracking Jorge Batista Paulo  
[www.isr.uc.pt/~batista/MYPUBS/WSiccv.ps.gz](http://www.isr.uc.pt/~batista/MYPUBS/WSiccv.ps.gz)

[Multiscale Difference Equation Signal Modeling And Analysis.. - Ali, Tewfik \(1994\)](#) (Correct)

It also leads to multigrid type signal filtering, **detection** and estimation algorithms. The existence and  
[ftp.ee.umn.edu/pub/tewfik/1994/msde/msde\\_icassp94.ps.Z](http://ftp.ee.umn.edu/pub/tewfik/1994/msde/msde_icassp94.ps.Z)

[A Comparison of Wavelet Coding Sequences for Noisy Channels - Hilton, Panda](#) (Correct)

lost. We adopt a simple approach based on error **detection** and recovery to stem the propagation of errors  
[ftp.cs.sc.edu/pub/hilton/papers/tr9404.ps.gz](http://ftp.cs.sc.edu/pub/hilton/papers/tr9404.ps.gz)

[Integrated Correction of Ill-Formed Sentences - Min, Wilson \(1997\) \(Correct\)](#)

the errors at the particular level because the **detection** and correction of the errors requires higher cases are mapped to concept slots: subject **agent**, verb act, direct object theme 4 Consider is as follows: SENT1 (subj (value "I" PARK1 (**agent** (SPEAKER) verb (value "parked" act ftp.cse.unsw.edu.au/pub/users/billw/ai97.minwil.ps

[Fault Tolerant Task Execution through Global Trajectory Planning - Paredis, Khosla \(1996\) \(Correct\)](#)  
(5 citations)

robotics, covering topics ranging from fault **detection** and identification [16] to design [11, 13] www.cs.cmu.edu/~paredis/pubs/RESS96.ps.gz

[Modeling, Evaluation, and Adaptive Control of an.. - Waheed, al. \(1997\) \(Correct\)](#)

use for adaptively controlling the overhead and **intrusion** of the Jewel IS to the application. Performance which is developed according to a client-**server** paradigm. The **server** process captures a dynamic decisions are implemented through resource manager **agents** (actuator components) that run as separate web.egr.msu.edu/VISTA/Docs/Pgrt/sigmetrics97.ps.gz

[Degrees of Transaction Isolation in SQL\\*Cache: A.. - Basu, Keller \(1996\) \(Correct\) \(2 citations\)](#)

**server** upon successful transaction commit. 1 **Detection** of such an invalidation may not necessarily to cache data on the client-side in a client-**server** relational database system was presented in [15] www-db.stanford.edu/pub/keller/1996/transaction-isolation.ps

[Profile Aware Retrieval Optimizer for Continuous Media - Cyrus Shahabi \(1997\) \(Correct\)](#)

of multimedia systems is a Continuous Media (CM) **server** that guarantees the uninterrupted delivery of imsc-dmim.usc.edu/~dashti/Research/MyPapers/prime\_wac98.ps

[Improving the N-Version Programming Process Through the Evolution .. - Lyu, He \(1993\) \(Correct\) \(7 citations\)](#)

NVS system, and (3) to elaborate efficient error **detection** and recovery mechanism. The first two Select Software Design Diversity Dimensions **Install** Error **Detection** and Recovery Algorithms Conduct www.cse.cuhk.edu.hk/~lyu/postscript/ieeetr93.ps

[Exact Geometric Collision Detection - Schömer, Sellen, Welsch \(Correct\)](#)

Exact Geometric Collision **Detection** Elmar Schomer Jurgen Sellen Markus Welsch www-hotz.cs.uni-sb.de/~schoemer/publications/EGCD.ps.gz

[Influence of Channel Estimation on the Performance of a.. - Benthin, Kammeyer \(1997\) \(Correct\) \(1 citation\)](#)

Keywords-DS-CDMA, Channel Estimation, Coherent **Detection** I. Introduction D IRECT sequence code amerika.comm.uni-bremen.de/pub/cdma/vtc97.ps.gz

[Analyzing and Recognizing Walking Figures in XYT - Niyogi, Adelson \(1994\) \(Correct\) \(60 citations\)](#)

We have derived a novel approach to the **detection** and recognition of human gait. In gait whitechapel.media.mit.edu/pub/tech-reports.bak/TR-223.ps.Z

[Active Interfaces for Useful Software Tools - Cesta, D'Aloisi, Giannini \(1995\) \(Correct\)](#)

for filtering e-mail messages easy. A multi-**agent** implementation of an interface is proposed that -based on the metaphor of the software **agents** [1]for these tools to enable their use to a better performance of the whole process. Our Mail **Agent**, as we name the particular tool, represents a airone.fub.it:8080/projects/tokio.ps

*Documents 61 to 80* [Previous 20](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)